



Lathes

2.1-986 Upper Slide Rest

longitudinal travel 320

[Link](#)

2.1-987 Upper Slide Rest

longitudinal travel 250

[Link](#)

2.1-247 Lathe Tos SUS 63

turning diameter 630, turning length 2000

turning diameter over slide 350, spindle hole 71

spindle speed 1600, DRO Heidenhain, chuck Forkardt 400

[Link](#)

2.1-256 Lathe WMW Zerbst DXP 2S3 x 10000

in 1996 retrofitted, rotary diameter over foundation 2500mm

rotary diameter over bed 2000mm, turning length 10000mm

3-way bed, headstock and bed are separate, 2 supports

2 steady rests, 2 digital read outs, tail stock, spare parts

[Link](#)

2.1-259 Lathe VDF Boehringer DUE 560

turning diameter over bed/sledge 570mm/365mm

turning length 2000mm, 2-axes digital read out

3-jaw chuck, Multifix, steady rest

[Link](#)

CNC lathes

3.2-680-22 CNC Turning & Milling Center Mazak Integrex 50Y Univ. 2000

turning diameter over bed/sledge 710mm/520mm

turning length 2047mm, Mazatrol T-Plus control, c-axis

y-axis, 2-fold revolver with milling spindle

60-fold magazine, 3-jaw chuck Kitagawa

[Link](#)

3.2-690 CNC Lathe Gildemeister CTX 410 V3

rotary diam. over bed/sledge 505mm/365, turning length 600mm

sold

[Link](#)

3.2-736 CNC Lathe Gildemeister NEF 400



*max. rotary diameter over bed/sledge 400mm/270mm
sold*

[Link](#)

3.2-705 Cycle Controlled Lathe WEILER E90 x4500

*turning diameter over bed/sledge 900mm/530mm
center to center 4500mm, Weiler D2 control
3-jaw chuck RÄ¶hm 500mm, Multifix, exhaustion device
chip conveyor*

[Link](#)

3.2-709 Cycle Controlled Lathe Colchester Combi2000

*rotary diameter over bed/sledge 400mm/245mm
center to center 1250mm, Fanuc 210i control, 3-jaw chuck
Parat tool holder device, tail stock*

[Link](#)

3.2-708 Cycle Controlled Lathe Gildemeister NEF 720

*rotary diameter over bed/sledge 710mm/415mm
center to center 1995mm, Heidenhain Manual Plus 4110 control
3-jaw chuck, 2x Multifix, steady rest
chip tank, tail stock*

[Link](#)

3.2-722 CNC Lathe Emco Emcoturn 140

*rotary diameter over bed/sledge 340mm/158mm
Emcotronic TM02 control, 3-jaw chuck diameter 165mm
8-fold revolver, tail stock,(parameter is missing)*

[Link](#)

3.2-732 CNC Lathe Mori Seiki NL2000 MC500

*x-axis 260mm, z-axis 590mm, MAPPS MSX-850 CNC control
3-jaw chuck Kitagawa, driven tools, c-axis
12-fold revolver, NC-tail stock
tool measuring device, chip conveyor*

[Link](#)

3.2-724 CNC Lathe Gildemeister CTX 420 linear

*max. turning diameter 324mm, max. turning length 600mm
Heidenhain 4290 CNC control, c-axis, driven tools
3-jaw chuck, chip conveyor
bar loading device lemca Master 880 MP*

[Link](#)



3.2-738 Cycle Controlled Lathe Gildemeister NEF 500 plus

*turning diameter bed/slide 500/290, 1500 turning length
turret 8 stations, Heidenhain Manual Plus control
chip tank, tail stock*

[Link](#)

3.2-742 CNC Lathe Monforts MNC 500 MultiTurn

*turning diameter 500mm, turning length 1500mm
rotary diameter over bed/sledge 600mm/400mm
spindle speed 31-4000rpm, 2x 12 tool turret
driven tools, chip conveyor, Sinumerik 840D powerline control*

[Link](#)

3.2-753 Swiss type lathe Traub TNL 16G

*spindle hole 16/20, sub spindle, 2 turret
bar feeder, workpiece catcher, driven tools
Traub TX 8F control*

[Link](#)

3.2-750 CNC Lathe Gildemeister CTX400 Twin

*rotary diameter over bed/sledge 570mm/420mm
longitudinal travel 635mm, Heidenhain CNC Pilot 3190 control
main spindle, sub spindle, C-axis, Y-axis, driven tools
12-fold revolver, bar loading device LNS, chip conveyor*

[Link](#)

3.2-752 CNC Lathe Traub TNC 42/65

*turning length 450, spindle hole 42/65, spindle speed 5600
TX 8H control, sub spindle, 2 turret, chip conveyor
bar feeder IEMCA
no c-axis and no driven tools*

[Link](#)

Milling machines

5.1-347 Engraving + Profil Milling Machine Deckel GK 21

*working table 350x200, template table 450x320
working proportion 1:1,5 - 1:10
some templates*

[Link](#)

5.1-383 universal Tool Room Milling Machine Intos FNGP 50

*SK 40, xyz 700mm/500mm/500mm, Heidenhain TNC 124
table 900x500mm, horizontal milling device*



[Link](#)

5.1-386-22 Universal Milling Machine Intos FNGP 40

*SK40, xyz 600mm/400mm/400mm, Heidenhain TNC 124
quill, coolant device*

[Link](#)

CNC milling machines

5.2-518 CNC Vertical Milling Machine Oerlikon FB 2-V

*SK 50, xyz 1800/800/770, Fidia CNC 10 control
table 2400x800, overhang 800, chip conveyor
head swivable +/- 45°, quill movable 170*

[Link](#)

5.2-604 CNC Bed Type Milling Machine Reckermann Beta 5-V

*SK 40, xyz 1500mm/450mm/400mm, Heidenhain TNC 310
electronical hand wheel, coolant device*

[Link](#)

5.2-607 CNC universal Bed Type Milling Machine Auerbach FBE 2000 HSC

*SK50, xyz 2000mm/830mm/1100mm, Heidenhain iTNC 530 control
sold*

[Link](#)

5.2-617 Universal Milling Machine Maho MH 600 E

*SK40, xyz 600mm/400mm/400mm, CNC432 control
fixed table, spindle speed up to 4000rpm
quill, electronical hand operating panel, coolant device*

[Link](#)

5.2-611 CNC universal bed type milling machine Huron EX-N 1600

*1600/700/800 X/Y/Z, HSK 63, spindle speed 14000
Siemens 840D control, chip conveyor, electric hand wheel
automatic head programmable, under power 19932h*

[Link](#)

5.2-616 Universal Milling Machine WF 31D

*560/500/400 X/Y/Z, SK 40, spindle speed 40-4000
stroke quill 80, CNC Bosch CC200*

[Link](#)

5.2-618 CNC universal Tool Room Milling Machine Mikron UMS 600



*SK40, xyz 600mm/500mm/450mm, Heidenhain TNC426 CNC control
horizontal and vertical milling spindle
electronical handwheel, coolant device*

[Link](#)

5.2-620 CNC Milling Machine Deckel-Maho DMU 60T

*600/525/500 X/Y/Z, spindle speed 6300, SK 40, Heidenhain TNC426
chip tank, universal table, without tool changer*

[Link](#)

5.2-619 CNC universal Tool Room Milling Machine Maho MH 500W

*SK40, xyz 500mm/380mm/350mm, CNC control CNC 532
mechanical hand wheels, manual swivel- and rotary table
coolant device
machine has only 16900 hours*

[Link](#)

Machining centres

5.3-448 CNC Vertical Machining Center Deckel-Maho DC 70V

*SK 40, xyz 700/550/500, Dialog 112 control
spindel speed up to 8000, 30-fold automatic tool changer*

[Link](#)

5.3-543 CNC universal Milling Center Deckel Maho DMC 60U

*HSK63, 600/700/550 X/Y/Z, Heidenhain Mill Plus Control
spindle speed 12000, iner coolant devicde, swivel head H/V
NC rotary tabl, pallet changer*

[Link](#)

5.3-498 5-Axes Milling Center Hermle C800U

*HSK 63, xyz 800mm/600mm/500mm, Heidenhain TNC 430 control
sold*

[Link](#)

5.3-495 5-Axes Milling Center Hermle C30 U

*SK 40, xyz 650mm/600mm/500mm, Heidenhain iTNC 530 control
sold*

[Link](#)

5.3-496 5-Axes Milling Center Hermle C22 U

*HSK 63, xyz 450mm/600mm/330mm, Heidenhain iTNC 530 control
sold*

[Link](#)



5.3-504 5-Axes Milling Center Deckel Maho DMU 50 eVo

*SK 40, xyz 500mm/420mm/380mm, Sinumerik 840D Powerline
Sold*

[Link](#)

5.3-510 5-Axis Milling Center Hermle C600U

*HSK 63, xyz 600mm/450mm/450mm, Heidenhain iTNC 530 control
sold*

[Link](#)

5.3-508 vertical Milling Center Hermle C40V

*SK40, xyz 850mm/700mm/500mm, Heidenhain iTNC 530 control
sold*

[Link](#)

5.3-528 5-Axes Milling Center Hermle C 800 U

*BT 40, xyz 800mm/600mm/500mm, Heidenhain TNC 426 control
sold*

[Link](#)

5.3-531 5-Axes Milling Center Hermle C 40 U

*HSK 63, xyz 850mm/70mm/50mm, Heidenhain iTNC 530
sold*

[Link](#)

5.3-537 vertical Milling Center Deckel-Maho DMC 64V linear

*SK 40, xyz 640mm/600mm/500mm, Sinumerik 810D with Shopmill
30-fold tool changer, spindle speed up to 12000rpm
coolant through spindle (IKZ), chip conveyor*

[Link](#)

5.3-544 5-Axes Milling Center Deckel-Maho DMU 50eVo linear

*HSK63, x/y/z 500mm/450mm/400mm, Heidenhain Mill Plus iT
NC-swivel rotary table (b-axis and c-axis), n up to 18000rpm
30-fold automatic tool changer, coolant device
exhaustion device*

[Link](#)

5.3-551 Vertical Milling Center Bridgeport VMC 800

*800/510/500 X/Y/Z, spindle speed 40-6000
tool changer 22 tools, Heidenhain TNC 370, chip tank
electric hand wheel*

[Link](#)



5.3-570 CNC universal Milling Center Deckel-Maho DMU 60T

*SK40, xyz 630mm/560mm/560mm, Heidenhain TNC430 CNC control
spindle speed up to 12000rpm, 12-fold tool changer
electronical hand wheel, coolant device*

[Link](#)

5.3-558 vertical Milling Center Stama MC 326

*SK 40, xyz 520mm/300mm/360mm, Sinumerik 840D CNC control
pallet changing device, 42-fold tool changer
spindle speed up to 10500rpm, coolant device*

[Link](#)

5.3-559 Vertical Milling Center Hurco BMC 25

*609/406/558 X/Y/Z, SK40, tool changer 20-tools
spindle speed 6000, Ultimax 3 control*

[Link](#)

5.3-513-22 CNC 5-Axis Milling Center Deckel Maho DMP 60 linear

*HSK 63, xyz 600mm/500mm, 430mm, Sinumerik 840D CNC control
NC-rotary table with swivel axis (c- and a-axis)
60-fold tool changer, coolant through spindle
pallet changing device, el. handwheel, chip conveyor*

[Link](#)

5.3-568 CNC Milling Center Deckel-Maho DMU 80T

*880/630/630 X/Y/Z, Heidenhain TNC 430
table 1250x700, spindle speed 12000, chip spiral
tool changer*

[Link](#)

5.3-548 horizontal Milling Center Deckel-Maho DMC 50H

*HSK 63, xyz 560mm/560mm/510mm, Sinumerik 840D CNC control
NC-rotary table (b-axis), pallet changing device
coolant through spindle device, 40-fold tool changer
chip conveyor*

[Link](#)

Drilling machines

4.1-527 Radial Drilling Machine Webo BR 63/2000

*drilling performance 63/80 steel/GG, MK5, overhang 2000
spindle speed 14-1020, feed 0,04-2,0, cube table, many tools*

[Link](#)



Boring and milling machines

4.2-309 Floor Type Boring Machine Union BFP 125/III

*X/Y/Z/W 2500/1500/100/500, 3-axes digital read out
2 floor plates, facing plate ≈ 800 , angle head 360° swivable
clamping table 2000x1800 (travel 1200)*

[Link](#)

4.2-314-22 Vertical Jig Boring Machine SIP Hydroptic 6A

*table travel 1000mm, cross travel of boring head 700mm
boring spindle stroke 300mm
distance between table - boring spindle 1000mm*

[Link](#)

4.2-317-22 CNC Rotary transfer Machine Technika Rotaflex 25/12

*FibroTakt rotary table diameter 400mm
9 pieces NC drilling device ABS 35, CNC control AMK
1 piece NC drilling device HSK C25, coolant device
exhaustion device, cabin, 12 pieces clamping chucks*

[Link](#)

Sawing machines

5.4-742 Automatic Band Saw Wagner WPB 340A

*cutting range round 340mm / square 340mm x 340mm
steplless cutting speed, hydraulic material clamping*

[Link](#)

5.4-754 Automatic Band Saw Kasto SSB 260 VA

*cutting range round 260mm, square 260mm x 260mm
hydraulic material clamping, hydraulic band clamping
chip conveyor, roll conveyor*

[Link](#)

Surface grinding machines

6.1-596 CNC Surface Grinding Machine Jung C 740E

*max. grindable work piece area 880mm x 510mm
Sinumerik 840C control, electro magnet plate, el. hand wheel
coolant device with paper filter, exhaustion*

[Link](#)

6.1-615 Magnetic Plate 1000x500

[Link](#)



6.1-616 Surface Grinding Machine Blohm Precimat 408

*grinding area 800mm x 400mm, Ergomatic control
sold*

[Link](#)

6.1-617 Surface Grinding Machine Aba Multiline 2007

*max. grinding 2000mm, max. grinding width 850mm
sold*

[Link](#)

6.1-622 Surface Grinding Machine Aba Ecoline 806

*max. grinding length 800mm, max. grinding width 700mm
sold*

[Link](#)

6.1-638 Surface Grinding Machine ABA Starline 800A

*max. grinding length 800mm, max. grinding width 460mm
Siemens LC control, electro magnet plate 600mm x 400mm
paper filtering device, dressing device*

[Link](#)

Cylindrical grinding machines

6.2-471 Honing Machine Sunnen MBB1660 CG

*diameter range 1,5-165,workpiece weight 2,7
hub range 406,spindle speed 200-2500,spindle motor 0,37*

[Link](#)

6.2-467 universal Cylindrical Grinding Machine Schaudt E450 U1000

*center height 180mm, center to center 1120mm
Sold*

[Link](#)

6.2-470 Cylindrical Grinding Machine Ziersch und Baltrusch URS 750

*center height 130,center to center 750
grinding diameter 250,MK5,spindel speed 31,5-710
table stroke 900,grinding wheel 350x127x63*

[Link](#)

6.2-472 Cylindrical Grinding Machine Cetos Hostivar BU25H/750

*center height 125mm, center to center 750mm
3-jaw chuck RÄ¶hm (diameter 160mm), tail stock
coolant device with paper filtering*



[Link](#)

6.2-474 universal Cylindrical Grinding Machine Kellenberger 1000 U

*center height 250mm, center to center 1000mm
max. grinding diameter 372mm, digital read out
magnet clamping chuck, internal grinding device
grinding head left and right, tail stock, dressing device*

[Link](#)

Miscellaneous grinding machines

6.3-402 Turning Tool Grinding Machine Wendt WZ PS 50

[Link](#)

Presses - mechanical

10.2-518 Open Gap Eccentric Press MÄller AMP 135R

*pressure 135to
foot switch*

[Link](#)

10.2-519 Open Gap Eccentric Press Smeral LE 63

*pressure 63to, 2-hand operating
table size 750mm x 500mm
overhang 260mm*

[Link](#)

10.2-520 Hand screw press Neher SPPL 22/80

pressure 22to

[Link](#)

Plate shears

10.4-902 hydraulic Plate Shear Darley GS 3100x8

*max. cutting length 3050, max. cutting capacity 8mm
controlled arrester behind, front supports
foot switch, cutting crack adjustment
new blades*

[Link](#)

10.4-903 Hydraulic Plate Shear ESPE CNTA 3150/10 A

*cutting length 3150, adjustment of the cutting angle
replacement knives, electric stopper*

[Link](#)



Press brakes

10.5-334 hydraulic Press Brake Fasti 940-160-30

*pressure 160to, bending lenght 3050mm, Delem DA 65 control
foot switch, controlled limit stop, crown bow
front support*

[Link](#)

10.5-339 mot.Folding Machine RAS 65.90

*working lenght 2540mm, bending capacity 2mm
arrester behind*

[Link](#)

10.5-336 hydraulic Press Brake Donewell 75-3000

*pressure 75to, bending lenght 3000mm
foot switch, manual limit stop*

[Link](#)

Miscellaneous sheet metal working machines

10.1-146-22 3 Roll Bending Machine Schäfer SRMVS

*bending 22mmx2000mm,pre-bending: 18 mm
Upper roll diameter: 330 mm, lower roll diameter of 310 mm
motorized folding stock,additional top roll diameter of 250
mm*

[Link](#)

10.1-151 Notching Machine Indumasch Epas 225

*cutting lenght 220mm x 220mm
steel 4mm, stainless steel 3mm, aluminium 5mm,
manual lenght and angle adjustment of the arrester
measuring tapes in the table*

[Link](#)

10.1-153 3-Rolls Bending Machine

*roll lenght 1000mm
upper roll diameter 96mm
lower roll diameter 100mm*

[Link](#)

Accessories

8.1-822 Ã~150mm,Zentrierung 140mm

[Link](#)



8.1-686 Two-Edged Cutter Bar

[Link](#)

8.1-684 Two-Edged Cutter Bar

[Link](#)

8.1-685 Two-Edged Cutter Bar

[Link](#)

8.1-857 Holder WTO

[Link](#)

8.1-858 Driven Tools

[Link](#)

8.1-859 Driven Tools Romai

[Link](#)

8.1-863 Angel Plate 100x800x630mm

[Link](#)

8.1-864 Roller table 2x400x3000

[Link](#)

8.1-865 hydraulic bench vise Gressel

[Link](#)