



Lathes

2.1-986 Upper Slide Rest

longitudinal travel 320

[Link](#)

2.1-987 Upper Slide Rest

longitudinal travel 250

[Link](#)

2.1-256 Lathe WMW Zerbst DXP 2S3 x 10000

*in 1996 retrofitted, rotary diameter over foundation 2500mm
rotary diameter over bed 2000mm, turning length 10000mm
3-way bed, headstock and bed are separate, 2 supports
2 steady rests, 2 digital read outs, tail stock, spare parts*

[Link](#)

2.1-271 Sliding Bed Lathe EST-Ticino 550

*rotary diameter in the gap/bed/support 1840mm/1100mm/840mm
4-jaw face plate diameter 1200mm
4-jaw face plate 700mm
Multifix tool holder device, digital read out*

[Link](#)

2.1-266 Tail Stock 270-520mm

new

[Link](#)

2.1-269 Lathe VDF Boehringer DUK 530/3000

*swing diameter bed/slide 540/330, center height 264
urning length 3000, spindle hole 62, fixed steady rest
Multifix, chuck 315, infeed*

[Link](#)

2.1-265 Lathe Bulmak C13MB

*center height 400, turning length 5000, spindel hole 103
spindle speed 8-1000, tail stock, steady rest*

[Link](#)

2.1-270 Lathe VDF Boehringer DUE 560

*turning diameter over bed/sledge 570mm/365mm
turning length 3000mm, digital read-out
3-jaw chuck, Multifix tool holder device*



steady rest

[Link](#)

2.1-273 Lathe Nardini MS 175E

*turning diameter over bed/sledge 350mm/200mm
center to center 800mm, 3-jaw chuck RÄ¶m diameter 200mm
Multifix tool holder device, tail stock*

[Link](#)

CNC lathes

3.2-690 CNC Lathe Gildemeister CTX 410 V3

*rotary diam. over bed/sledge 505mm/365, turning length 600mm
sold*

[Link](#)

3.2-736 CNC Lathe Gildemeister NEF 400

*max. rotary diameter over bed/sledge 400mm/270mm
sold*

[Link](#)

3.2-742 CNC Lathe Monforts MNC 500 MultiTurn

*turning diameter 500mm, turning length 1500mm
rotary diameter over bed/sledge 600mm/400mm
spindle speed 31-4000rpm, 2x 12 tool turret
driven tools, chip conveyor, Sinumerik 840D powerline control*

[Link](#)

3.2-762 CNC Lathe Gildemeister NEF 600

*turning diameter over bed/sledge 600mm/490mm
sold*

[Link](#)

3.2-764 CNC Lathe Gildemeister CTX 210V1

*rotary diameter over bed/sledge 380mm/290mm
longitudinal travel 305, CNC control Fanuc 32is-A
12-fold revolver, collet chuck device, chip conveyor
coolant device, without tail stock*

[Link](#)

3.2-768 CNC Lathe Haas SL 10 HE

*cutting diameter 279, cutting length 356, bar diameter 44
12-turret, tool eye*

[Link](#)



3.2-779 CNC Lathe Gildemeister NEF400

*max. rotary diameter over bed/sledge 400mm/270mm
max. turning length 650mm, Sinumerik 840D Shop Turn control
3-jaw chuck, 8-fold revolver, tail stock
chip conveyor, coolant device*

[Link](#)

3.2-773 CNC Lathe Gildemeister NEF600

*max. rotary diameter over bed/sledge 600mm/410mm
max. turning length 1200mm, Fanuc 210i CNC control
3-jaw chuck, 8-fold revolver, tail stock
chip conveyor*

[Link](#)

3.2-784 CNC Lathe Traub TNA 300

*max. turning diameter 275mm, max. Drehlängen 450mm
TX 8H cnc control, driven tools, C-axis
12-fold revolver, 3-jaw chuck, tail stock, chip conveyor
machine has only 1250 hours*

[Link](#)

3.2-778 CNC Lathe Gildemeister CTX 500S2

*max. rotary diameter over bed/sledge 680mm/455mm
longitudinal way 1097mm, Heidenhain 4290 CNC control
3-jaw chuck, 12-fold revolver, chip conveyor
some tool holders*

[Link](#)

3.2-774 CNC Lathe Doosan S550 LM

*max. turning diameter 480mm, max. turning length 1130mm
Fanuc 21 iTB CNC control, 3-jaw chuck 380mm diameter
driven tools, C-axis, 12-fold revolver
high pressure pump up to 80bar, tail stock*

[Link](#)

Milling machines

5.1-347 Engraving + Profil Milling Machine Deckel GK 21

*working table 350x200, template table 450x320
working proportion 1:1,5 - 1:10
some templates*

[Link](#)

5.1-383 universal Tool Room Milling Machine Intos FNGP 50



*SK 40, xyz 700mm/500mm/500mm, Heidenhain TNC 124
table 900x500mm, horizontal milling device*

[Link](#)

5.1-391-22 Universal Milling Machine EMCO FB 6

*700/500/500 X/Y/Z,SK40,3 Achsen DRO,spindle speed 63-3150
table 900x500*

[Link](#)

5.1-390 universal Milling Machine Mikron WF 2/3 DPM

*ISO40, xyz 400mm/400mm/375mm, Heidenhain TNC 135
mechanical hand wheels, quill, coolant device*

[Link](#)

5.1-394 universal Milling Machine Deckel FP2

SK40, xyz 400mm/200mm/400mm, table size 700mm x 330mm

[Link](#)

5.1-384 Milling Machine Maho MH 500

*xxz 300/170/350mm, SK 40 ,uni table 600x400mm
autm feed x+z,tools*

[Link](#)

5.1-395 Milling Machine Hermle PF 1000

*600/400/400 X/Y/Z,SK 40,hydraulic bench vice
Heidenhain TNC 131 incl. slot-,screw thread- and drillcycle
12 spindle spee (45-2000 1/min)*

[Link](#)

5.1-396 universal Milling Machine Aizpurua F-40-A

*SK40, xyz 720mm/240mm/360mm
universal milling head*

[Link](#)

CNC milling machines

5.2-518 CNC Vertical Milling Machine Oerlikon FB 2-V

*SK 50, xyz 1800/800/770, Fidia CNC 10 control
table 2400x800, overhang 800, chip conveyor
head swivable +/- 45Â°, quill movable 170*

[Link](#)

5.2-604 CNC Bed Type Milling Machine Reckermann Beta 5-V



*SK 40, xyz 1500mm/450mm/400mm, Heidenhain TNC 310
electronical hand wheel, coolant device*

[Link](#)

5.2-607 CNC universal Bed Type Milling Machine Auerbach FBE 2000 HSC

*SK50, xyz 2000mm/830mm/1100mm, Heidenhain iTNC 530 control
sold*

[Link](#)

5.2-616 Universal Milling Machine WF 31D

*560/500/400 X/Y/Z, SK 40, spindle speed 40-4000
stroke quill 80, CNC Bosch CC200*

[Link](#)

5.2-620 CNC Milling Machine Deckel-Maho DMU 60T

*600/525/500 X/Y/Z, spindle speed 6300, SK 40, Heidenhain TNC426
chip tank, universal table, without tool changer*

[Link](#)

5.2-624 CNC Tool Room Milling Machine Deckel-Maho FP3-50

*SK40, xyz 500mm/400mm/400mm, Dialog 12 CNC control
spindle speed up to 5000rpm, electronical hand wheel
coolant device*

[Link](#)

5.2-622 CNC Milling Machine Deckel FP3 A

*400/340/400 X/Y/Z, table 700x460, Contour 3
SK 40, electric hand wheel, coolant device*

[Link](#)

5.2-623-22 Bed type milling machine Huron GXB 411 F

*1200/600/600 X/Y/Z, Heidenhain TNC 425, SK40
electric hand wheel, table 1300x700
13396h machine on*

[Link](#)

5.2-625 CNC universal Milling Machine Auerbach FUW 525

*SK40, xyz 525mm/425mm/405mm, Heidenhain TNC 407 CNC control
vertical and horizontal milling spindle
electronical hand wheel, quill
coolant device*

[Link](#)



Machining centres

5.3-498 5-Axes Milling Center Hermle C800U

*HSK 63, xyz 800mm/600mm/500mm, Heidenhain TNC 430 control
sold*

[Link](#)

5.3-495 5-Axes Milling Center Hermle C30 U

*SK 40, xyz 650mm/600mm/500mm, Heidenhain iTNC 530 control
sold*

[Link](#)

5.3-496 5-Axes Milling Center Hermle C22 U

*HSK 63, xyz 450mm/600mm/330mm, Heidenhain iTNC 530 control
sold*

[Link](#)

5.3-504 5-Axes Milling Center Deckel Maho DMU 50 eVo

*SK 40, xyz 500mm/420mm/380mm, Sinumerik 840D Powerline
Sold*

[Link](#)

5.3-510 5-Axis Milling Center Hermle C600U

*HSK 63, xyz 600mm/450mm/450mm, Heidenhain iTNC 530 control
sold*

[Link](#)

5.3-508 vertical Milling Center Hermle C40V

*SK40, xyz 850mm/700mm/500mm, Heidenhain iTNC 530 control
sold*

[Link](#)

5.3-528 5-Axes Milling Center Hermle C 800 U

*BT 40, xyz 800mm/600mm/500mm, Heidenhain TNC 426 control
sold*

[Link](#)

5.3-531 5-Axes Milling Center Hermle C 40 U

*HSK 63, xyz 850mm/70mm/50mm, Heidenhain iTNC 530
sold*

[Link](#)

5.3-537 vertical Milling Center Deckel-Maho DMC 64V linear



*SK 40, xyz 640mm/600mm/500mm, Sinumerik 810D with Shopmill
30-fold tool changer, spindle speed up to 8000rpm
coolant through spindle (IKZ), chip conveyor*

[Link](#)

5.3-551 Vertical Milling Center Bridgeport VMC 800

*800/510/500 X/Y/Z, spindle speed 40-6000
tool changer 22 tools, Heidenhain TNC 370, chip tank
electric hand wheel*

[Link](#)

5.3-559 Vertical Milling Center Hurco BMC 25

*609/406/558 X/Y/Z, SK40, tool changer 20-tools
spindle speed 6000, Ultimax 3 control*

[Link](#)

5.3-568 CNC Milling Center Deckel-Maho DMU 80T

*880/630/630 X/Y/Z, Heidenhain TNC 430
table 1250x700, spindle speed 12000, chip spiral
tool changer*

[Link](#)

5.3-574-22 CNC vert. Milling Center Schwäbische Werkzeugm. SW BA-35

*SK40, xyz 2650mm/500mm/500mm, Sinumerik 840D CNC control
36-fold tool changer, electrical hand wheel
partition panel, chip conveyor, coolant device*

[Link](#)

5.3-573 5-Axes Milling Center Deckel-Maho DMC 125U hi-dyn

*HSK63, xyz 1250mm/880mm/800mm, Heidenhain iTNC530 control
sold*

[Link](#)

5.3-577 5-Axes Milling Center Hermle C40U dynamic

*SK40, xyz 850mm/700mm/500mm, Heidenhain iTNC530 CNC control
sold*

[Link](#)

5.3-579 CNC vertical Milling Center Mazak VTC20 B

*SK40, xyz 1120mm/510mm/510mm, Mazatrol M Plus CNC control
24-fold tool changer, coolant device*

[Link](#)



5.3-581 CNC Milling Machine Maho MH 700 S

*700/500/600 X/Y/Z, SK 40, Philipps CNC 432
fixed table 1100x600, tool changer 36 tools
rotatable automatic head, coolant device
spindle speed 20-6300*

[Link](#)

5.3-582 CNC Milling Center 3+2 Axis Deckel Maho DMU 50T

*500/400/400 X/Y/Z, Heidenhain Mill Plus
rotatable and turning table, electric hand wheel
tool changer, SK 40*

[Link](#)

5.3-586-11 5-Axes universal Milling Center Deckel Maho DMC 160U

*SK50, xyz 1600mm/1250mm/1000mm, Heidenhain iTNC 530
NC-swivel head (B-axis), NC-rotary table (C-axis)
toolchanger for 120 tools, palette changing device
coolant through spindle (IKZ), spindle speed up to 6300rpm*

[Link](#)

5.3-587-22 Portal Milling Center ZPS Depocut 2012

*SK40, xyz 2000mm/1200mm/800mm, Heidenhain TNC426 cnc control
spindle speed up to 18000rpm, 12-fold tool changer
electronical handwheel, chip conveyor, coolant device*

[Link](#)

5.3-588 vertical Milling Center Mikron HSM 800

*HSK50, xyz 800mm/600mm/500mm, Heidenhain iTNC530
Speed 36.00 rpm, 30-fold tool changer, el hand wheel
measuring feeler MP 700, chip conveyor, oil dust minimal
lubrication device, new price 2005 ca 400,000 SFR*

[Link](#)

5.3-599 vertical Milling Center Deckel-Maho DMC 63V

*SK40, xyz 630mm/500mm/500mm, Sinumerik 810D
24-fold tool changer, chip tank, coolant device
machine has only 860 hours*

[Link](#)

5.3-590 vertical Milling Center Deckel-Maho DMC 1035V

*SK40, xyz 1035mm/560mm/510mm, Heidenhain iTNC 530 control
spindle speed up to 10000rpm, 20-fold tool changer
electronical hand wheel, chip conveyor*

[Link](#)



5.3-594 5-Axes Milling Center Deckel-Maho DMU 80P

*HSK63, xyz 800mm/700mm/600mm, Sinumerik 840D with Shopmill
NC-swivel head (B-axis), NC-rotary table (C-axis)
tool changer for 30 tools, electronical handwheel
coolant through spindle, measuring feeler, chip conveyor*

[Link](#)

5.3-595-22 universal Milling Center Deckel-Maho DMU 60 monoBLOCK

*SK40, xyz 730mm/560mm/560mm, Heidenhain iTNC 530 control
NC-swivel head (B-axis), NC-rotary table (C-axis)
24-fold tool changer, coolant through spindle (IKZ)
electronical handwheel, measuring feeler, chip conveyor*

[Link](#)

5.3-596-22 vertical Milling Center ZPS MCFV 2080

*SK50, xyz 2030mm/810mm/810mm, Heidenhain iTNC 530 control
24-fold tool changer, electronical handwheel
chip conveyor, coolant device*

[Link](#)

5.3-597-22 vertical Milling Center ZPS MCFV 125EZ

*SK50, xyz 1270mm/600mm/760mm, Heidenhain TNC426 control
2x 16-fold tool changer, electronical handwheel
chip conveyor, coolant device*

[Link](#)

5.3-598 5 Axes Milling Center Mikron Agie Charmilles UCP 600

*530/450/450 X/Y/Z, SK 40, spindle speed 12000
Heidenhain iTnc 530, turning and swivable table
chip conveyor, tool changer, electric hand wheel
spindle hours 5000*

[Link](#)

5.3-591 vertical Milling Center Alzmetall CS 600

*SK40, xyz 600mm/400mm/900mm, Heidenhain iTNC530 control
24-fold tool changer, coolant through spindle 80 bar
chip tank, electronical hand wheel, exhaustion device*

[Link](#)

Drilling machines

4.1-527 Radial Drilling Machine Webo BR 63/2000

*drilling performance 63/80 steel/GG, MK5, overhang 2000
spindle speed 14-1020, feed 0,04-2,0, cube table, many tools*



[Link](#)

Boring and milling machines

4.2-309 Floor Type Boring Machine Union BFP 125/III

*X/Y/Z/W 2500/1500/100/500, 3-axes digital read out
2 floor plates, facing plate ≈ 800 , angle head 360° swivable
clamping table 2000x1800 (travel 1200)*

[Link](#)

4.2-314-22 Vertical Jig Boring Machine SIP Hydroptic 6A

*table travel 1000mm, cross travel of boring head 700mm
boring spindle stroke 300mm
distance between table - boring spindle 1000mm*

[Link](#)

4.2-317-22 CNC Rotary transfer Machine Technika Rotaflex 25/12

*FibroTakt rotary table diameter 400mm
9 pieces NC drilling device ABS 35, CNC control AMK
1 piece NC drilling device HSK C25, coolant device
exhaustion device, cabin, 12 pieces clamping chucks*

[Link](#)

Surface grinding machines

6.1-615 Magnetic Plate 1000x500

[Link](#)

6.1-616 Surface Grinding Machine Blohm Precimat 408

*grinding area 800mm x 400mm, Ergomatic control
sold*

[Link](#)

6.1-617 Surface Grinding Machine Aba Multiline 2007

*max. grinding 2000mm, max. grinding width 850mm
sold*

[Link](#)

6.1-622 Surface Grinding Machine Aba Ecoline 806

*max. grinding length 800mm, max. grinding width 700mm
sold*

[Link](#)

Cylindrical grinding machines



6.2-467 universal Cylindrical Grinding Machine Schaudt E450 U1000

center height 180mm, center to center 1120mm

Sold

[Link](#)

6.2-472 Cylindrical Grinding Machine Cetos Hostivar BU25H/750

center height 125mm, center to center 750mm

3-jaw chuck RÄ¶hm (diameter 160mm), tail stock

coolant device with paper filtering

[Link](#)

6.2-474 universal Cylindrical Grinding Machine Kellenberger 1000 U

center height 250mm, center to center 1000mm

max. grinding diameter 372mm, digital read out

Sold

[Link](#)

Presses - hydraulic

10.3-410 hydraulic Open Gap Press MAE HY-S40

40to pressure, 2-hand operating

open gap

[Link](#)

Plate shears

10.4-902 hydraulic Plate Shear Darley GS 3100x8

max. cutting lenght 3050, max. cutting capacity 8mm

controlled arrester behind, front supports

food switch, cutting crack adjustment

new blades

[Link](#)

Press brakes

10.5-334 hydraulic Press Brake Fasti 940-160-30

pressure 160to, bending lenght 3050mm, Delem DA 65 control

foot switch, controlled limit stop, crown bow

front support

[Link](#)

10.5-336 hydraulic Press Brake Donewell 75-3000

pressure 75to, bending lenght 3000mm

foot switch, manual limit stop

[Link](#)



10.5-340 hydraulic Press Brake LVD PPN65/30

*power 65to,working length 3000mm
manual stop,tools and stamper*

[Link](#)

Miscellaneous sheet metal working machines

10.1-146-22 3 Roll Bending Machine Schäfer SRMVS

*bending 22mmx2000mm,pre-bending: 18 mm
Upper roll diameter: 330 mm, lower roll diameter of 310 mm
motorized folding stock,additional top roll diameter of 250
mm*

[Link](#)

10.1-154 hydr. Section Steel Shear / Punching Press Mubea KLSH 900

*pressure 90to
consisting of: flat-, bar- and profile steel shear
notching device ans punching press*

[Link](#)

Accessories

8.1-822 ~150mm,Zentrierung 140mm

[Link](#)

8.1-686 Two-Edged Cutter Bar

[Link](#)

8.1-684 Two-Edged Cutter Bar

[Link](#)

8.1-685 Two-Edged Cutter Bar

[Link](#)

8.1-857 Holder WTO

[Link](#)

8.1-858 Driven Tools

[Link](#)

8.1-859 Driven Tools Romai

[Link](#)



Gustav Schönberger GmbH
Werkzeugmaschinen

Hünderstr. 14
74080 Heilbronn

+49 7131 - 46060
info@gsh-maschinen.de

8.1-863 Angel Plate 100x800x630mm

[Link](#)

8.1-864 Roller table 2x400x3000

[Link](#)

8.1-865 hydraulic bench vise Gressel

[Link](#)

8.1-871 NC dividing head (4. axis) Hofmann RW/NC-160

rotary table diameter 300mm

[Link](#)