



Lathes

2.1-986 Upper Slide Rest

longitudinal travel 320

[Link](#)

2.1-987 Upper Slide Rest

longitudinal travel 250

[Link](#)

2.1-247 Lathe Tos SUS 63

turning diameter 630, turning length 2000

turning diameter over slide 350, spindle hole 71

spindle speed 1600, DRO Heidenhain, chuck Forkardt 400

[Link](#)

2.1-256 Lathe WMW Zerbst DXP 2S3 x 10000

in 1996 retrofitted, rotary diameter over foundation 2500mm

rotary diameter over bed 2000mm, turning length 10000mm

3-way bed, headstock and bed are separate, 2 supports

2 steady rests, 2 digital read outs, tail stock, spare parts

[Link](#)

2.1-266 Tail Stock 270-520mm

new

[Link](#)

2.1-269 Lathe VDF Boehringer DUK 530/3000

swing diameter bed/slide 540/330, center height 264

turning length 3000, spindle hole 62, fixed steady rest

Multifix, chuck 315, infeed

[Link](#)

2.1-265 Lathe Bulmak C13MB

center height 400, turning length 5000, spindle hole 103

spindle speed 8-1000, tail stock, steady rest

[Link](#)

CNC lathes

3.2-690 CNC Lathe Gildemeister CTX 410 V3

rotary diam. over bed/sledge 505mm/365, turning length 600mm

sold

[Link](#)



3.2-736 CNC Lathe Gildemeister NEF 400

*max. rotary diameter over bed/sledge 400mm/270mm
sold*

[Link](#)

3.2-742 CNC Lathe Monforts MNC 500 MultiTurn

*turning diameter 500mm, turning length 1500mm
rotary diameter over bed/sledge 600mm/400mm
spindle speed 31-4000rpm, 2x 12 tool turret
driven tools, chip conveyor, Sinumerik 840D powerline control*

[Link](#)

3.2-766 CNC Lathe Gildemeister CT 40

*center height 260, swing diameter bed/slide 400/225
turning length 600, EPL control, chip tank, tools
hand chuck*

[Link](#)

3.2-765 CNC Lathe Gildemeister CTX600

*rotary diameter over bed/sledge 650mm/480mm
longitudinal travel Z 1097mm, Eltropilot control
3-Backenfutter Forkardt diameter 400mm
12-fold revolver, chip conveyor, some tool tapers*

[Link](#)

3.2-762 CNC Lathe Gildemeister NEF 600

*turning diameter over bed/sledge 600mm/490mm
sold*

[Link](#)

3.2-764 CNC Lathe Gildemeister CTX 210V1

*rotary diameter over bed/sledge 380mm/290mm
longitudinal travel 305, CNC control Fanuc 32is-A
12-fold revolver, collet chuck device, chip conveyor
coolant device, without tail stock*

[Link](#)

3.2-771 CNC Lathe Haas SL-10-HE

*cutting diameter 279, cutting length 356, bar diameter 44
12-turret, tool eye, Haas control*

[Link](#)

3.2-769 CNC Lathe Haas SL10 HE



*cutting diamter 279, cutting legth 356, bar diameter 44
12-turret, tool eye*

[Link](#)

Milling machines

5.1-347 Engraving + Profil Milling Machine Deckel GK 21

*working table 350x200, template table 450x320
working proportion 1:1,5 - 1:10
some templates*

[Link](#)

5.1-383 universal Tool Room Milling Machine Intos FNGP 50

*SK 40, xyz 700mm/500mm/500mm, Heidenhain TNC 124
table 900x500mm, horizonal milling device*

[Link](#)

5.1-391-22 Universal Milling Machine EMCO FB 6

*700/500/500 X/Y/Z, SK40, 3 Achsen DRO, spindle speed 63-3150
table 900x500*

[Link](#)

5.1-389 Universal Milling Machine Hermle UWF 802 M

*500/430/400 X/Y/Z, SK40, table 800x390
spindle speed 3550, Heidenhain TNC 124 DRO*

[Link](#)

5.1-390 universal Milling Machine Mikron WF 2/3 DPM

*ISO40, xyz 400mm/400mm/375mm, Heidenhain TNC 135
mechanical hand wheels, quill, coolant device*

[Link](#)

5.1-394 universal Milling Machine Deckel FP2

SK40, xyz 400mm/200mm/400mm, table size 700mm x 330mm

[Link](#)

5.1-384 Milling Machine Maho MH 500

*xxz 300/170/350mm, SK 40, uni table 600x400mm
autm feed x+z, tools*

[Link](#)

CNC milling machines

5.2-518 CNC Vertical Milling Machine Oerlikon FB 2-V



*SK 50, xyz 1800/800/770, Fidia CNC 10 control
table 2400x800, overhang 800, chip conveyor
head swivable +/- 45°, quill movable 170*

[Link](#)

5.2-604 CNC Bed Type Milling Machine Reckermann Beta 5-V

*SK 40, xyz 1500mm/450mm/400mm, Heidenhain TNC 310
electronical hand wheel, coolant device*

[Link](#)

5.2-607 CNC universal Bed Type Milling Machine Auerbach FBE 2000 HSC

*SK50, xyz 2000mm/830mm/1100mm, Heidenhain iTNC 530 control
sold*

[Link](#)

5.2-616 Universal Milling Machine WF 31D

*560/500/400 X/Y/Z, SK 40, spindle speed 40-4000
stroke quill 80, CNC Bosch CC200*

[Link](#)

5.2-620 CNC Milling Machine Deckel-Maho DMU 60T

*600/525/500 X/Y/Z, spindle speed 6300, SK 40, Heidenhain TNC426
chip tank, universal table, without tool changer*

[Link](#)

5.2-621 CNC Tool Milling Machine Hermle UWF 900E

*ways 600/400/420, Heidenhain TNC 407, SK 40, spindle speed 4000
electric hand wheel, measuring sensor, quill*

[Link](#)

5.2-622 CNC Milling Machine Deckel FP3 A

*400/340/400 X/Y/Z, table 700x460, Contour 3
SK 40, electric hand wheel, coolant device*

[Link](#)

5.2-623-22 Bed type milling machine Huron GXB 411 F

*1200/600/600 X/Y/Z, Heidenhain TNC 425, SK40
electric hand wheel, table 1300x700
13396h machine on*

[Link](#)

Machining centres



5.3-498 5-Axes Milling Center Hermle C800U

*HSK 63, xyz 800mm/600mm/500mm, Heidenhain TNC 430 control
sold*

[Link](#)

5.3-495 5-Axes Milling Center Hermle C30 U

*SK 40, xyz 650mm/600mm/500mm, Heidenhain iTNC 530 control
sold*

[Link](#)

5.3-496 5-Axes Milling Center Hermle C22 U

*HSK 63, xyz 450mm/600mm/330mm, Heidenhain iTNC 530 control
sold*

[Link](#)

5.3-504 5-Axes Milling Center Deckel Maho DMU 50 eVo

*SK 40, xyz 500mm/420mm/380mm, Sinumerik 840D Powerline
Sold*

[Link](#)

5.3-510 5-Axis Milling Center Hermle C600U

*HSK 63, xyz 600mm/450mm/450mm, Heidenhain iTNC 530 control
sold*

[Link](#)

5.3-508 vertical Milling Center Hermle C40V

*SK40, xyz 850mm/700mm/500mm, Heidenhain iTNC 530 control
sold*

[Link](#)

5.3-528 5-Axes Milling Center Hermle C 800 U

*BT 40, xyz 800mm/600mm/500mm, Heidenhain TNC 426 control
sold*

[Link](#)

5.3-531 5-Axes Milling Center Hermle C 40 U

*HSK 63, xyz 850mm/70mm/50mm, Heidenhain iTNC 530
sold*

[Link](#)

5.3-537 vertical Milling Center Deckel-Maho DMC 64V linear

SK 40, xyz 640mm/600mm/500mm, Sinumerik 810D with Shopmill



*30-fold tool changer, spindle speed up to 8000rpm
coolant through spindle (IKZ), chip conveyor*

[Link](#)

5.3-551 Vertical Milling Center Bridgeport VMC 800

*800/510/500 X/Y/Z, spindle speed 40-6000
tool changer 22 tools, Heidenhain TNC 370, chip tank
electric hand wheel*

[Link](#)

5.3-569 CNC Milling Center Bridgeport VMC800 L22

*800/510/500 (X/Y/Z), SK 40, Heidenhain TNC 410
electric hand wheel, chip tank*

[Link](#)

5.3-559 Vertical Milling Center Hurco BMC 25

*609/406/558 X/Y/Z, SK40, tool changer 20-tools
spindle speed 6000, Ultimex 3 control*

[Link](#)

5.3-568 CNC Milling Center Deckel-Maho DMU 80T

*880/630/630 X/Y/Z, Heidenhain TNC 430
table 1250x700, spindle speed 12000, chip spiral
tool changer*

[Link](#)

5.3-548 horizontal Milling Center Deckel-Maho DMC 50H

*HSK 63, xyz 560mm/560mm/510mm, Sinumerik 840D CNC control
NC-rotary table (b-axis), pallet changing device
coolant through spindle device, 40-fold tool changer
chip conveyor*

[Link](#)

5.3-574-22 CNC vert. Milling Center Schwäbische Werkzeugm. SW BA-35

*SK40, xyz 2650mm/500mm/500mm, Sinumerik 840D CNC control
36-fold tool changer, electronical hand wheel
partition panel, chip conveyor, coolant device*

[Link](#)

5.3-571 CNC vertical Milling Center Mazak VTC 20B

*CAT40, xyz 1120mm/510mm/510mm, Mazatrol M-Plus CNC control
24-fold tool changer, coolant device*

[Link](#)



5.3-573 5-Axes Milling Center Deckel-Maho DMC 125U hi-dyn

*HSK63, xyz 1250mm/880mm/800mm, Heidenhain iTNC530 control
sold*

[Link](#)

5.3-577 5-Axes Milling Center Hermle C40U dynamic

*SK40, xyz 850mm/700mm/500mm, Heidenhain iTNC530 CNC control
sold*

[Link](#)

5.3-575 CNC vertical Milling Center Chiron FZ 18S Magnum

*Sk40, xyz 750mm/400mm/425mm, Sinumerik 840D CNC control
20-fold tool changer, 4. axis Peiseler RT160
chip conveyor, coolant device*

[Link](#)

5.3-579 CNC vertical Milling Center Mazak VTC20 B

*SK40, xyz 1120mm/510mm/510mm, Mazatrol M Plus CNC control
24-fold tool changer, coolant device*

[Link](#)

5.3-581 CNC Milling Machine Maho MH 700 S

*700/500/600 X/Y/Z, SK 40, Philipps CNC 432
fixed table 1100x600, tool changer 36 tools
rotatable automatic head, coolant device
spindle speed 20-6300*

[Link](#)

5.3-582 CNC Milling Center 3+2 Axis Deckel Maho DMU 50T

*500/400/400 X/Y/Z, Heidenhain Mill Plus
rotatable and turning table, electric hand wheel
tool changer, SK 40*

[Link](#)

5.3-584 vertical Milling Center Deckel-Maho DMC635V

*SK40, xyz 635mm/510mm/460mm, Heidenhain iTNC530 CNC control
20-fold tool changer, electrical handwheel
spindle speed 10000rpm, chip conveyor, coolant device*

[Link](#)

5.3-583 vertical Milling Center Deckel-Maho DMC 635V

*SK40, xyz 635mm/510mm/460mm, Heidenhain iTNC530 CNC control
20-fold tool changer, electrical handwheel*



spindle speed 10000rpm, chip conveyor, coolant device

[Link](#)

5.3-586-11 5-Axes universal Milling Center Deckel Maho DMC 160U

*SK50, xyz 1600mm/1250mm/1000mm, Heidenhain iTNC 530
NC-swivel head (B-axis), NC-rotary table (C-axis)
toolchanger for 120tools, palette changing device
coolant through spindle (IKZ), spindle speed up to 6300rpm*

[Link](#)

5.3-587-22 Portal Milling Center ZPS Depocut 2012

*SK40, xyz 2000mm/1200mm/800mm, Heidenhain TNC426 cnc control
spindle speed up to 18000rpm, 12-fold tool changer
electronical handwheel, chip conveyor, coolant device*

[Link](#)

5.3-588 vertical Milling Center Mikron HSM 800

*HSK50, xyz 800mm/600mm/500mm, Heidenhain iTNC530
spindle speed up to 36000 rpm, 30-fold tool changer
electronical hand wheel, measuring feeler MP 700
chip conveyor, oil dust minimal lubrication device*

[Link](#)

Drilling machines

4.1-527 Radial Drilling Machine Webo BR 63/2000

*drilling performance 63/80 steel/GG, MK5, overhang 2000
spindle speed 14-1020, feed 0,04-2,0, cube table, many tools*

[Link](#)

Boring and milling machines

4.2-309 Floor Type Boring Machine Union BFP 125/III

*X/Y/Z/W 2500/1500/100/500, 3-axes digital read out
2 floor plates, facing plate ≈ 800 , angle head 360° swivable
clamping table 2000x1800 (travel 1200)*

[Link](#)

4.2-314-22 Vertical Jig Boring Machine SIP Hydroptic 6A

*table travel 1000mm, cross travel of boring head 700mm
boring spindle stroke 300mm
distance between table - boring spindle 1000mm*

[Link](#)



4.2-317-22 CNC Rotary transfer Machine Technika Rotaflex 25/12

*FibroTakt rotary table diameter 400mm
9 pieces NC drilling device ABS 35, CNC control AMK
1 piece NC drilling device HSK C25, coolant device
exhaustion device, cabin, 12 pieces clamping chucks*
[Link](#)

Surface grinding machines

6.1-615 Magnetic Plate 1000x500

[Link](#)

6.1-616 Surface Grinding Machine Blohm Precimat 408

*grinding area 800mm x 400mm, Ergomatic control
sold*

[Link](#)

6.1-617 Surface Grinding Machine Aba Multiline 2007

*max. grinding 2000mm, max. grinding width 850mm
sold*

[Link](#)

6.1-622 Surface Grinding Machine Aba Ecoline 806

*max. grinding length 800mm, max. grinding width 700mm
sold*

[Link](#)

6.1-641 Surface Grinding Machine ELB Juwel 024/400 STC

*grinding length/-width/-height 600/400/475,CNC Control STC
grinding wheel 300x50x76,2,paper filter,extraction
electric trainer,,magnetic plate 600x400*

[Link](#)

Cylindrical grinding machines

6.2-467 universal Cylindrical Grinding Machine Schaudt E450 U1000

*center height 180mm, center to center 1120mm
Sold*

[Link](#)

6.2-470 Cylindrical Grinding Machine Ziersch und Baltrusch URS 750

*center height 130,center to center 750
grinding diameter 250,MK5,spindel speed 31,5-710
table stroke 900,grinding wheel 350x127x63*



[Link](#)

6.2-472 Cylindrical Grinding Machine Cetos Hostivar BU25H/750

*center height 125mm, center to center 750mm
3-jaw chuck RÄ¶hm (diameter 160mm), tail stock
coolant device with paper filtering*

[Link](#)

6.2-474 universal Cylindrical Grinding Machine Kellenberger 1000 U

*center height 250mm, center to center 1000mm
max. grinding diameter 372mm, digital read out
Sold*

[Link](#)

Presses - mechanical

10.2-518 Open Gap Eccentric Press MÄ¶ller AMP 135R

*pressure 135to
foot switch*

[Link](#)

10.2-521 Open Gap Eccentric Press Betz EZL 100

*pressure 100to
foot switch and 2-hand operating*

[Link](#)

Plate shears

10.4-902 hydraulic Plate Shear Darley GS 3100x8

*max. cutting length 3050, max. cutting capacity 8mm
controlled arrester behind, front supports
foot switch, cutting crack adjustment
new blades*

[Link](#)

Press brakes

10.5-334 hydraulic Press Brake Fasti 940-160-30

*pressure 160to, bending length 3050mm, Delem DA 65 control
foot switch, controlled limit stop, crown bow
front support*

[Link](#)

10.5-336 hydraulic Press Brake Donewell 75-3000

pressure 75to, bending length 3000mm



foot switch, manual limit stop

[Link](#)

Miscellaneous sheet metal working machines

10.1-146-22 3 Roll Bending Machine SchÄrfer SRMVS

bending 22mmx2000mm,pre-bending: 18 mm

Upper roll diameter: 330 mm, lower roll diameter of 310 mm

motorized folding stock,additional top roll diameter of 250 mm

[Link](#)

10.1-153 3-Rolls Bending Machine

roll lenght 1000mm

upper roll diameter 96mm

lower roll diameter 100mm

[Link](#)

10.1-154 hydr. Section Steel Shear / Punching Press Mubea KLSH 900

pressure 90to

consisting of: flat-, bar- and profile steel shear

notching device ans punching press

[Link](#)

10.1-155 Notching Machine Indumasch 206

tickness of material 6mm, cutting lenght 200mm

adjustability of the angle over 3 handwheels (right/left)

foot switch

[Link](#)

Accessories

8.1-822 Å~150mm,Zentrierung 140mm

[Link](#)

8.1-686 Two-Edged Cutter Bar

[Link](#)

8.1-684 Two-Edged Cutter Bar

[Link](#)

8.1-685 Two-Edged Cutter Bar

[Link](#)



8.1-857 Holder WTO

[Link](#)

8.1-858 Driven Tools

[Link](#)

8.1-859 Driven Tools Romai

[Link](#)

8.1-863 Angel Plate 100x800x630mm

[Link](#)

8.1-864 Roller table 2x400x3000

[Link](#)

8.1-865 hydraulic bench vise Gressel

[Link](#)

8.1-871 NC dividing head (4. axis) Hofmann RW/NC-160

rotary table diameter 300mm

[Link](#)