



Accessories

Granit Measuring Plate Wenzel

*length 1800mm, width 1250mm, thickness 450mm
height over floor 770mm*

[Link](#)

NC dividing head (4. axis) Hofmann RW/NC-160

rotary table diameter 300mm

[Link](#)

hydraulic bench vise Gressel

[Link](#)

Roller table 2x400x3000

[Link](#)

Angel Plate 100x800x630mm

[Link](#)

Driven Tools Romai

[Link](#)

Driven Tools

[Link](#)

Holder WTO

[Link](#)

Ã~150mm,Zentrierung 140mm

[Link](#)

Two-Edged Cutter Bar

[Link](#)

Two-Edged Cutter Bar

[Link](#)

Boring and fcinghead DÃ€ndrea TA 170 sensitiv

sk 40,max 800 upm

[Link](#)



Boring and milling machines

Floor Type Boring and Milling Machine Union BFP 125/III

*X/Y/Z/W 2500/1500/100/500, 3-axes digital read out
2 floor plates, facing plate Ø800, angle head 360° swivable
clamping table 2000x1800 (travel 1200)*

[Link](#)

CNC lathes

CNC Turning and Milling Center Gildemeister GMX 250S linear

*max. turning diameter 520mm, Heidenhain Plus iT control
main spindle, sub spindle, milling spindle above (B-axis)
12-fold revolver below with driven tools, 2x C-axis
Y-axis, tool magazin for 36 tools, chip conveyor*

[Link](#)

CNC Lathe Gildemeister CTX 450 ecoline

*turning diameter 400, turning length 600, VDI 40, C-axis
driven tools, Siemens Sinumerik 840D sl
chip conveyor, tool eye, chuck*

[Link](#)

CNC Lathe Gildemeister CTX 310

*rotary diameter over bed/sledge 330mm/260mm
Sinumerik 840D ShopTurn, 12-fold revolver
collet chuck device, tail stock, chip conveyor
only 3960 spindle hours*

[Link](#)

CNC Lathe Gildemeister CTX 620V3 linear

*rotary diameter over bed/sledge 800mm/500mm
turning length 2000mm, Sinumerik 840D powerline ShopTurn
driven tools, C-axis, 12-fold revolver
3-jaw chuck diameter 315mm/500mm, steady rest, tail stock*

[Link](#)

CNC Lathe Doosan Puma TT 1800 SY

*max. turning diameter 230mm, Fanuc 18iTB CNC control
sub spindle, C-axis, driven tools, Y-axis
2x 12-fold revolver, short bar loading device LNS
chip conveyor, coolant device, tool measuring*

[Link](#)



CNC Lathe Index G300

*max. rotary diameter 590mm, max. turning length 710mm
Sinumerik 840C (Index C200-4) control
3-jaw chuck, C-axis, Y-axis, driven tools, 2x 12-fold revolver
chip conveyor, tail stock*

[Link](#)

CNC Lathe Gildemeister CTX 500

*center height 350, turning length 1000
swing diameter bed/slide 600/420, tail stock, chip conveyor*

[Link](#)

CNC Lathe Mori Seiki NZ 2000 T2Y

*max. turning diameter 320, MAPPS MSX-701 III CNC control
main- and sub spindle, 2x C-axis, driven tools, Y-axis
2x 16-fold revolver, tool measuring device, chip conveyor
portal loading device LG05, spindle hours 4300/2600h*

[Link](#)

CNC Lathe Index ABC

*spindle hole 52mm, Sinumerik 840C CNC control
C-axis,
1x 8-fold revolver with driven tools, 1x 6-fold revolver
bar loading device, chip conveyor*

[Link](#)

CNC Lathe Gildemeister NEF 600

*turning diameter over bed/sledge 600mm/490mm
sold*

[Link](#)

CNC Lathe Kummer Speed Blitz K90 A

*Sinumerik 840D CNC control
cross way 210mm, longitudinal travel 100mm
coolant device*

[Link](#)

CNC Lathe Gildemeister NEF 400

*max. rotary diameter over bed/sledge 400mm/270mm
sold*

[Link](#)

CNC Lathe Gildemeister CTX 410 V3



*rotary diam. over bed/sledge 505mm/365, turning length 600mm
sold*

[Link](#)

CNC milling machines

CNC universal Tool Room Milling Machine Maho MH 600T

*SK40, xyz 600mm/400mm/400mm, CNC 332 control
unchecked*

[Link](#)

universal Tool Room Milling Machine Maho MH 800W

*SK40, xyz 800mm/500mm/550mm, CNC control 234
manual rotary table, quill, electronical handwheel
coolant device*

[Link](#)

CNC universal Milling Machine Auerbach FUW 525

*SK40, xyz 525mm/425mm/405mm, Heidenhain TNC 407 CNC control
vertical and horizontal milling spindle
electronical hand wheel, quill
coolant device*

[Link](#)

CNC Milling Machine Deckel-Maho DMU 60T

*600/525/500 X/Y/Z, spindle speed 6300, SK 40, Heidenhain TNC426
chip tank, universal table, without tool changer*

[Link](#)

CNC universal Bed Type Milling Machine Auerbach FBE 2000 HSC

*SK50, xyz 2000mm/830mm/1100mm, Heidenhain iTNC 530 control
sold*

[Link](#)

CNC Bed Type Milling Machine Reckermann Beta 5-V

*SK 40, xyz 1500mm/450mm/400mm, Heidenhain TNC 310
electronical hand wheel, coolant device*

[Link](#)

CNC Vertical Milling Machine Oerlikon FB 2-V

*SK 50, xyz 1800/800/770, Fidia CNC 10 control
table 2400x800, overhang 800, chip conveyor
head swivable +/- 45°, quill movable 170*

[Link](#)



Conventional lathes

Upper Slide Rest

longitudinal travel 250

[Link](#)

Upper Slide Rest

longitudinal travel 320

[Link](#)

Lathe VDF Boehringer DUE 560

*turning diameter over bed/sledge 570mm/365mm
turning length 1500mm, 3-jaw chuck Forkardt F400
2-axes digital read-out, Multifix toolholder device
steady rest*

[Link](#)

Steady Rest 270-520mm

new

[Link](#)

Conventional milling machines

universal Milling Machine Deckel FP3

*xyz 500/300/380mm, SK40, n-40-2000Upm,
fixed table 350x900mm, some tool holders, hdr. vice
roundtable 250mm, Wohlhaupter, tool cabine*

[Link](#)

universal Tool Room Milling Machine Intos FNGP 50

*SK40, xyz 700mm/500mm/500mm, Heidenhain TNC 124
fixed table 900mm x 500mm, horizontal milling device*

[Link](#)

universal Milling Machine Aizpurua F-40-A

*SK40, xyz 720mm/240mm/360mm
universal milling head*

[Link](#)

Cylindrical grinding machines

universal Cylindrical Grinding Machine Wagner CG 1440A

*max. grinding diameter 320mm, max. grinding length 1000mm
Touch Screen Panel with grinding cycles*



*inner grinding device, electronical handwheel, tail stock
coolant device*

[Link](#)

universal Cylindrical Grinding Machine Kellenberger 1000 U

*center height 250mm, center to center 1000mm
max. grinding diameter 372mm, digital read out
Sold*

[Link](#)

Cylindrical Grinding Machine Cetos Hostivar BU25H/750

*center height 125mm, center to center 750mm
3-jaw chuck Röhm (diameter 160mm), tail stock
coolant device with paper filtering*

[Link](#)

universal Cylindrical Grinding Machine Schaudt E450 U1000

*center height 180mm, center to center 1120mm
Sold*

[Link](#)

Mechanical presses

4-Columns Manual Friction Press AGEO

[Link](#)

Milling centers

vertical milling center Spinner VC 750

*X/Y/Z 760/460/460, Siemens 840D SL, SK 40, 12000 spindle speed
tool changer with 24 tools, measuring sensor, chip conveyor*

[Link](#)

vertical Milling Center Mikron HSM 800

*HSK 50E, xyz 800mm/600mm/500mm, Heidenhain iTNC530
spindle speed up to 36000rpm, July 2019 new spindle
30-fold tool changer, el. handwheel, measuring feeler
oil dust minimal lubrication, chip conveyor, exhaustion*

[Link](#)

CNC 5 axis Milling Center Hedelius Rotaswing 100K Celox 5

*swivel rotary table 1000, fixed table 2100x1000
SK50, Heidenhain iTNC530, inner coolant device
spindle speed 10000, chip conveyor, electric hand wheel*



2016 new spindle !

[Link](#)

vertical Milling Center Mikron/Haas VCE 2000

SK40, xyz 2100mm/810mm/760mm, CNC control Haas
electronical hand wheel, 32-fold tool changer, chip screw
coolant device, interface for 4th axis

[Link](#)

vertical Milling Center Mikron VCE 600pro

SK40, xyz 600mm/500mm/540mm, Heidenhain iTNC530 control
spindle speed up to 10000rpm, electronical handwheel
24-fold tool changer, coolant through spindle (IKZ)
chip screw

[Link](#)

Portal Milling Center Huron KX20

1200/1000/550 X/Y/Z, HSK 63, 15000 spindle speed, Siemens 840D

[Link](#)

CNC Milling Center AXA VSC-2 4000 S

X/Y/Z 4000x600x600, Heidenhain iTNC530, SK 40, tool changer 36
12000 spindle speed, chip conveyor, 4 axis
About 4500 working hours

[Link](#)

vertical Milling Center Mikron VCP600 HSM 42000

HSK-E40, xyz 600mm/450mm/450mm, Heidenhain iTNC530 control
spindle speed up to 42000rpm, 36-fold tool changer
electronical hand wheel, chip conveyor, coolant device

[Link](#)

5-Axes Milling Center Deckel-Maho DMU 70eVolution

SK40, xyz 750mm/600mm/520mm, Heidenhain iTNC 530 control
NC- swivel-rotary table (4. and 5. axis)
coolant through spindle (IKZ), 32-fold tool changer
chip conveyor, coolant device, operating mode 4

[Link](#)

5-Axes Milling Center Deckel-Maho DMU 70eVolution

SK40, xyz 750mm/600mm/520mm, Heidenhain iTNC 530 control
NC- swivel-rotary table (4. and 5. axis),
32-fold tool changer, coolant through spindle (IKZ)
chip conveyor, coolant device, operating mode 4



[Link](#)

horizontal Milling Center HÄ¼ller-Hille Bluestar 5

SK40, xyz 700mm/630mm/700mm, Fanuc CNC control
NC-rotary table (B-axis), tool changer for 40 tools
pallet changing device, 2 pallets 500mm x 500mm
chip conveyor, coolant through spindle device

[Link](#)

vertical Milling Center Hurco VMX 24

SK40, xyz 610mm/510mm/610mm, Ultimax 4 CNC control
24-fold tool changer, coolant through spindle device (IKZ)
spindle speed up to 10000rpm, chip conveyor
electronical handwheel

[Link](#)

5-Axes Milling Center Deckel-Maho DMU 70 eVolution

HSK63, xyz 750mm/600mm/520mm, Heidenhain TNC430 CNC control
NC-swivel-rotary table (4. and 5. axis), spindle speed 18000
32-fold tool changer, electronical handwheel
measuring feeler, chip tank, coolant device

[Link](#)

5-Axes Milling Center Hermle C 30U

SK40, xyz 650mm/600mm/500mm, Heidenhain iTNC530 control
NC-swivel rotary table (A-axis, C-axis)
magazine up to 119 tool places
IKZ 80bar, el. handwheel, measuring feeler, chip conveyor

[Link](#)

vertical Milling Center Deckel-Maho DMC 835V

SK40, xyz 835mm/510mm/510mm, Heidenhain iTNC530 control
20-fold tool changer, electronical handwheel
chip tank, coolant device

[Link](#)

Portal Milling Center ZPS Depocut 2012

SK40, xyz 2000mm/1200mm/800mm, Heidenhain TNC 426 control
12-fold tool changer, electronical handwheel
chip conveyor, without coolant device

[Link](#)

5-Axes Milling Center Hermle C30U

HSK63, xyz 650mm/600mm/500mm, Heidenhain iTNC 530 control



sold

[Link](#)

5-Axes universal Milling Center Deckel Maho DMC 160U

SK50, xyz 1600mm/1250mm/1000mm, Heidenhain iTNC 530

Sold

[Link](#)

5-Axes Milling Center Hermle C40U dynamic

SK40, xyz 850mm/700mm/500mm, Heidenhain iTNC530 CNC control

sold

[Link](#)

5-Axes Milling Center Deckel-Maho DMC 125U hi-dyn

HSK63, xyz 1250mm/880mm/800mm, Heidenhain iTNC530 control

sold

[Link](#)

CNC Milling Center Deckel-Maho DMU 80T

880/630/630 X/Y/Z, Heidenhain TNC 430

table 1250x700, spindle speed 12000, chip spiral

tool changer

[Link](#)

Vertical Milling Center Hurco BMC 25

609/406/558 X/Y/Z, SK40, tool changer 20-tools

spindle speed 6000, Ultimex 3 control

[Link](#)

universal Milling Center Auerbach FUW 1005

vert head very loud

SK40, xyz 1005mm/650mm/555mm, Heidenhain TNC426 control

NC-rotary table (510mm diameter), 20-fold tool changer

coolant device

[Link](#)

vertical Milling Center Deckel-Maho DMC 64V linear

SK 40, xyz 640mm/600mm/500mm, Sinumerik 810D with Shopmill

30-fold tool changer, spindle speed up to 8000rpm

coolant through spindle (IKZ), chip conveyor

[Link](#)

5-Axes Milling Center Hermle C 40 U



HSK 63, xyz 850mm/70mm/50mm, Heidenhain iTNC 530

sold

[Link](#)

5-Axes Milling Center Hermle C 800 U

BT 40, xyz 800mm/600mm/500mm, Heidenhain TNC 426 control

sold

[Link](#)

5-Axis Milling Center Hermle C600U

HSK 63, xyz 600mm/450mm/450mm, Heidenhain iTNC 530 control

sold

[Link](#)

vertical Milling Center Hermle C40V

SK40, xyz 850mm/700mm/500mm, Heidenhain iTNC 530 control

sold

[Link](#)

5-Axes Milling Center Deckel Maho DMU 50 eVo

SK 40, xyz 500mm/420mm/380mm, Sinumerik 840D Powerline

Sold

[Link](#)

5-Axes Milling Center Hermle C800U

HSK 63, xyz 800mm/600mm/500mm, Heidenhain TNC 430 control

sold

[Link](#)

5-Axes Milling Center Hermle C22 U

HSK 63, xyz 450mm/600mm/330mm, Heidenhain iTNC 530 control

sold

[Link](#)

5-Axes Milling Center Hermle C30 U

SK 40, xyz 650mm/600mm/500mm, Heidenhain iTNC 530 control

sold

[Link](#)

Miscellaneous machines

Welding Rectifier Dalex ST221

[Link](#)



Plate shears

hydraulic Plate Shear LVD HST-C 31/6

*cutting capacity 6,35mm, cutting length 3100mm
motorized arrester behind, cutting angle adjustment
foot switch*

[Link](#)

Plate Shear Fasti 527-25/3,25

*cutting capacity 3,25mm, cutting length 2540mm
Fasti-Matik control
motorized arrester behind, manual die clearance adjustment
pneumatic tilting table, light barrier*

[Link](#)

Press brakes

hydraulic Press Brake LVD PPN65/30

*power 65to, working length 3000mm
manual stop, tools and stamper*

[Link](#)

hydraulic Press Brake Fasti 940-160-30

*pressure 160to, bending length 3050mm, Delem DA 65 control
foot switch, controlled limit stop, crown bow
front support*

[Link](#)

Sawing machines

Automatic Band Saw Jaespa Compact 2

*cutting range round/square/flat 260mm/260mm/300x260mm
NC-control, hydraulic material clamping
material stroke device, minimal volume coolant
stepless cutting speed*

[Link](#)

Automatic Band Saw Kaltenbach KBR 371 NA

*cutting range round/square 370mm/ 400mm x 370mm
automatic material infeed, hydraulic material clamping
coolant device
some roll conveyors*

[Link](#)

Surface grinding machines



Surface Grinding Machine ABA EL 2006 ES

*max. grinding length 2000mm, max. grinding width 700mm
electro magnet 2000mm x 600mm, Abamatic control
flap dresser, exhaustion device, coolant device
flanges*

[Link](#)

Surface Grinding Machine Blohm HFS 204

*Grinding length 450, grinding width 230
spindle speed 2800*

[Link](#)

Surface Grinding Machine Jung JE 525

*600x200 grinding range, magnetic plate 500x180
spindle speed 800-4200, grinding wheel 250x25x51
Jung Easy Control*

[Link](#)

Surface Grinding Machine Lodi RTM 150.50 CN

*grinding length 1500mm, grinding width 500mm
electro magnet plate 1500mm x 500mm
automatic infeed, dressing device, coolant device*

[Link](#)

Surface Grinding Machine Jung Vario-P

*max. grindable workpiece area 600mm x 335mm
sold*

[Link](#)

Surface Grinding Machine Aba Ecoline 806

*max. grinding length 800mm, max. grinding width 700mm
sold*

[Link](#)

Surface Grinding Machine Aba Multiline 2007

*max. grinding 2000mm, max. grinding width 850mm
sold*

[Link](#)

Surface Grinding Machine Blohm Precimat 408

*grinding area 800mm x 400mm, Ergomatic control
sold*

[Link](#)



Gustav Schönberger GmbH
Werkzeugmaschinen

Hünderstr. 14
74080 Heilbronn

+49 7131 - 46060
info@gsh-maschinen.de

Magnetic Plate 1000x500

[Link](#)