



Accessories

NC dividing head (4. axis) Hofmann RW/NC-160

rotary table diameter 300mm

[Link](#)

Roller table 2x400x3000

[Link](#)

hydraulic bench vise Gressel

[Link](#)

Driven Tools Romai

[Link](#)

Angel Plate 100x800x630mm

[Link](#)

Driven Tools

[Link](#)

Holder WTO

[Link](#)

Ã~150mm,Zentrierung 140mm

[Link](#)

Two-Edged Cutter Bar

[Link](#)

Two-Edged Cutter Bar

[Link](#)

Two-Edged Cutter Bar

[Link](#)

Boring and milling machines

CNC Rotary transfer Machine Technica Rotaflex 25/12

FibroTakt rotary table diameter 400mm

9 pieces NC drilling device ABS 35, CNC control AMK



*1 piece NC drilling device HSK C25, coolant device
exhaustion device, cabin, 12 pieces clamping chucks*

[Link](#)

CNC Table Type Boring and Milling Machine Union BFT 105

*SK50, X, Y, Z, W 1250mm/1000mm/800mm/450mm
Heidenhain TNC 355 CNC control
NC-rotary table (B-axis) 360°, electronical hand wheel*

[Link](#)

Vertical Jig Boring Machine SIP Hydroptic 6A

*table travel 1000mm, cross travel of boring head 700mm
boring spindle stroke 300mm
distance between table - boring spindle 1000mm*

[Link](#)

Floor Type Boring Machine Union BFP 125/III

*X/Y/Z/W 2500/1500/100/500, 3-axes digital read out
2 floor plates, facing plate Ø800, angle head 360° swivable
clamping table 2000x1800 (travel 1200)*

[Link](#)

CNC lathes

CNC Lathe Mori Seiki NZ 2000 T2Y

*turning diameter 200, turning length 810
Fanuc MSX-701 Mapps III, gantry loader LG05, Y-Axis
2 turret, sub spindle, 2 C-axis*

[Link](#)

CNC Lathe Mazak Quick Turn Nexus 250-II M

*max. turning diameter 380mm, max. turning length 1021mm
Mazatrol Matrix cnc control, driven tools
C-axis, 12-fold revolver, 3-jaw chuck SMW, Tool Eye
NC-tail stock, chip conveyor, some tool holders*

[Link](#)

CNC Lathe Index ABC

*spindle hole 52mm, Sinumerik 840C CNC control
C-axis,
1x 8-fold revolver with driven tools, 1x 6-fold revolver
bar loading device, chip conveyor*

[Link](#)



CNC Lathe Gildemeister NEF400

*max. rotary diameter over bed/sledge 400mm/270mm
max. turning length 650mm, Sinumerik 840D Shop Turn control
3-jaw chuck, 8-fold revolver, tail stock
chip conveyor, coolant device*

[Link](#)

CNC Lathe Index ABC

*spindle hole 52mm, Sinumerik 840C CNC control
C-axis, sub spindle at Revolver 1
1x 8-fold revolver with driven tools, 1x 6-fold revolver
back side working, bar loading device, chip conveyor*

[Link](#)

CNC Lathe Gildemeister NEF600

*max. rotary diameter over bed/sledge 600mm/410mm
max. turning length 1200mm, Fanuc 210i CNC control
3-jaw chuck, 8-fold revolver, tail stock
chip conveyor*

[Link](#)

CNC Lathe Gildemeister NEF 600

*turning diameter over bed/sledge 600mm/490mm
sold*

[Link](#)

CNC Lathe Gildemeister CTX 210V1

*rotary diameter over bed/sledge 380mm/290mm
longitudinal travel 305, CNC control Fanuc 32is-A
12-fold revolver, collet chuck device, chip conveyor
coolant device, without tail stock*

[Link](#)

CNC Lathe Gildemeister NEF 400

*max. rotary diameter over bed/sledge 400mm/270mm
sold*

[Link](#)

CNC Lathe Monforts MNC 500 MultiTurn

*turning diameter 500mm, turning length 1500mm, hydrostatic
rotary diameter over bed/sledge 600mm/400mm
spindle speed 31-4000rpm, 2x 12 tool turret
driven tools, chip conveyor, Sinumerik 840D powerline control*

[Link](#)



CNC Lathe Gildemeister CTX 410 V3

*rotary diam. over bed/sledge 505mm/365, turning length 600mm
sold*

[Link](#)

CNC milling machines

CNC universal Milling Machine Auerbach FUW 525

*SK40, xyz 525mm/425mm/405mm, Heidenhain TNC 407 CNC control
vertical and horizontal milling spindle
electronical hand wheel, quill
coolant device*

[Link](#)

CNC Tool Room Milling Machine Deckel-Maho FP3-50

*SK40, xyz 500mm/400mm/400mm, Dialog 12 CNC control
spindle speed up to 5000rpm, electronical hand wheel
coolant device*

[Link](#)

vertical Milling Machine Deckel-Maho DMU50

*SK40, xyz 500mm/450mm/400mm, Heidenhain iTNC 530 control
fixed table, spindle speed up to 8000rpm
coolant device*

[Link](#)

Bed type milling machine Huron GXB 411 F

*1200/600/600 X/Y/Z, Heidenhain TNC 425, SK40
electric hand wheel, table 1300x700
13396h machine on*

[Link](#)

CNC Milling Machine Deckel-Maho DMU 60T

*600/525/500 X/Y/Z, spindle speed 6300, SK 40, Heidenhain TNC426
chip tank, universal table, without tool changer*

[Link](#)

CNC universal Bed Type Milling Machine Auerbach FBE 2000 HSC

*SK50, xyz 2000mm/830mm/1100mm, Heidenhain iTNC 530 control
sold*

[Link](#)

Universal Milling Machine WF 31D



560/500/400 X/Y/Z, SK 40, spindle speed 40-4000
stroke quill 80, CNC Bosch CC200

[Link](#)

CNC Bed Type Milling Machine Reckermann Beta 5-V

SK 40, xyz 1500mm/450mm/400mm, Heidenhain TNC 310
electronical hand wheel, coolant device

[Link](#)

CNC Vertical Milling Machine Oerlikon FB 2-V

SK 50, xyz 1800/800/770, Fidia CNC 10 control
table 2400x800, overhang 800, chip conveyor
head swivable +/- 45°, quill movable 170

[Link](#)

Conventional lathes

Upper Slide Rest

longitudinal travel 250

[Link](#)

Upper Slide Rest

longitudinal travel 320

[Link](#)

Lathe Weiler Praktikant 140B

max. turning diameter over bed/sledge 280mm/158mm
max. turning length 650mm
3-jaw chuck, digital read out, Multifix tool holder device
coolant device

[Link](#)

Lathe VDF Boehringer DUK 530/3000

swing diameter bed/slide 540/330, center height 264
turning length 3000, spindle hole 62, fixed steady rest
Multifix, chuck 315, infeed

[Link](#)

Tail Stock 270-520mm

new

[Link](#)

Lathe Weiler Praktikant 500R



*turning diameter over bed/sledge 280mm/160mm
center to center 500mm, 3-jaw chuck Röhm diameter 160mm
Multifix, tail stock*

[Link](#)

Lathe Bulmak C13MB

*center height 400,turning length 5000,spindel hole 103
spindle speed 8-1000,tail stock,steady rest*

[Link](#)

Lathe WMW Zerbst DXP 2S3 x 10000

*in 1996 retrofitted, rotary diameter over foundation 2500mm
rotary diameter over bed 2000mm, turning length 10000mm
3-way bed, headstock and bed are separate, 2 supports
2 steady rests, 2 digital read outs, tail stock, spare parts*

[Link](#)

Conventional milling machines

universal Tool Room Milling Machine Intos FNGP 50

*SK40, xyz 700mm/500mm/500mm, Heidenhain TNC 124
fixed table 900mm x 500mm, horizontal milling device*

[Link](#)

universal Milling Machine Deckel FP4

*xyz 700mm/400mm/450mm, 3-axes digital read out
vertical und horizontal milling spindle, quill*

[Link](#)

Milling Machine Hermle PF 1000

*600/400/400 X/Y/Z,SK 40,hydraulic bench vice
Heidenhain TNC 131 incl. slot-,screw thread- and drillcycle
12 spindle speed (45-2000 1/min)*

[Link](#)

universal Milling Machine Aizpurua F-40-A

*SK40, xyz 720mm/240mm/360mm
universal milling head*

[Link](#)

Universal Milling Machine EMCO FB 6

*700/500/500 X/Y/Z,SK40,3 Achsen DRO,spindle speed 63-3150
table 900x500*

[Link](#)



universal Milling Machine Deckel FP2

SK40, xyz 400mm/200mm/400mm, table size 700mm x 330mm

[Link](#)

Milling Machine Maho MH 500

*xxz 300/170/350mm, SK 40 ,uni table 600x400mm
autm feed x+z,tools*

[Link](#)

Engraving + Profil Milling Machine Deckel GK 21

*working table 350x200, template table 450x320
working proportion 1:1,5 - 1:10
some templates*

[Link](#)

Cylindrical grinding machines

universal Cylindrical Grinding Machine Kellenberger 1000 U

*center height 250mm, center to center 1000mm
max. grinding diameter 372mm, digital read out
Sold*

[Link](#)

universal Cylindrical Grinding Machine Schaudt E450 U1000

*center height 180mm, center to center 1120mm
Sold*

[Link](#)

Cylindrical Grinding Machine Cetos Hostivar BU25H/750

*center height 125mm, center to center 750mm
3-jaw chuck Röhm (diameter 160mm), tail stock
coolant device with paper filtering*

[Link](#)

Drilling machines

Radial Drilling Machine Webo BR 63/2000

*drilling performance 63/80 steel/GG,MK5,overhang 2000
spindle speed 14-1020,feed 0,04-2,0,cube table,many tools*

[Link](#)

Milling centers

vertical Milling Center Spinner VC810



*SK40, xyz 810mm/610mm/610mm, Sinumerik 810D ShopMill
NC-dividing head, electronical handwheel
IKZ (coolant through spindle), chip conveyor
32-fold tool changer*

[Link](#)

5-Axes Milling Center Deckel-Maho DMU 50 eVolution

*HSK63, xyz 500mm/420mm/380mm, Heidenhain iTNC 530 control
NC-swivel rotary table (B- and C-axis)
32-fold tool changer, spindle speed up to 18000rpm*

[Link](#)

vertical Milling Center ZPS MCFV 125EZ

*SK50, xyz 1270mm/600m/760mm, Heidenhain TNC426 control
2x 16-fold tool changer, electronical handwheel
chip conveyor, coolant device*

[Link](#)

5 axis universal millig center Spinner MC 1020

*1020/580/560 X/Y/Z,round table 500,Siemens 810D Powerline
spindle speed 8000,SK40,inner coolant device
tool changer 40 tools,full closed cabine,chip conveyor*

[Link](#)

Portal Milling Center ZPS Depocut 2012

*SK40, xyz 2000mm/1200mm/800mm, Heidenhain TNC426 cnc control
spindle speed up to 18000rpm, 12-fold tool changer
electronical handwheel, chip conveyor, coolant device*

[Link](#)

5-Axes Milling Center Deckel-Maho DMU 80P

*HSK63, xyz 800mm/700mm/600mm, Sinumerik 840D with Shopmill
NC-swivel head (B-axis), NC-rotary table (C-axis)
tool changer for 30 tools, electronical handwheel
coolant through spindle, measuring feeler, chip conveyor*

[Link](#)

vertical Milling Center ZPS MCFV 2080

*SK50, xyz 2030mm/810mm/810mm, Heidenhain iTNC 530 control
24-fold tool changer, electronical handwheel
chip conveyor, coolant device*

[Link](#)

CNC Milling Center 3+2 Axis Deckel Maho DMU 50T



500/400/400 X/Y/Z,Heidenhain Mill Plus
rotatable and turning table,electric hand wheel
tool changer,SK 40

[Link](#)

5-Axes universal Milling Center Deckel Maho DMC 160U

SK50, xyz 1600mm/1250mm/1000mm, Heidenhain iTNC 530
Sold

[Link](#)

CNC Milling Machine Maho MH 700 S

700/500/600 X/Y/Z,SK 40,Philipps CNC 432
fixed table 1100x600,tool changer 36 tools
rotatable automatic head,coolant device
spindle speed 20-6300

[Link](#)

CNC vertical Milling Center Mazak VTC20 B

SK40, xyz 1120mm/510mm/510mm, Mazatrol M Plus CNC control
24-fold tool changer, coolant device

[Link](#)

CNC vert.Milling Center Schwäbische Werkzeugm.SW BA-35

SK40, xyz 2650mm/500mm/500mm, Sinumerik 840D CNC control
36-fold tool changer, electronical hand wheel
partition panel, chip conveyor, coolant device

[Link](#)

5-Axes Milling Center Deckel-Maho DMC 125U hi-dyn

HSK63, xyz 1250mm/880mm/800mm, Heidenhain iTNC530 control
sold

[Link](#)

5-Axes Milling Center Hermle C40U dynamic

SK40, xyz 850mm/700mm/500mm, Heidenhain iTNC530 CNC control
sold

[Link](#)

CNC Milling Center Deckel-Maho DMU 80T

880/630/630 X/Y/Z,Heidenhain TNC 430
table 1250x700,spindle speed 12000,chip spiral
tool changer

[Link](#)



Vertical Milling Center Hurco BMC 25

*609/406/558 X/Y/Z, SK40, tool changer 20-tools
spindle speed 6000, Ultimax 3 control*

[Link](#)

vertical Milling Center Deckel-Maho DMC 64V linear

*SK 40, xyz 640mm/600mm/500mm, Sinumerik 810D with Shopmill
30-fold tool changer, spindle speed up to 8000rpm
coolant through spindle (IKZ), chip conveyor*

[Link](#)

5-Axes Milling Center Hermle C 40 U

*HSK 63, xyz 850mm/70mm/50mm, Heidenhain iTNC 530
sold*

[Link](#)

Vertical Milling Center Bridgeport VMC 800

*800/510/500 X/Y/Z, spindle speed 40-6000
tool changer 22 tools, Heidenhain TNC 370, chip tank
electric hand wheel*

[Link](#)

5-Axis Milling Center Hermle C600U

*HSK 63, xyz 600mm/450mm/450mm, Heidenhain iTNC 530 control
sold*

[Link](#)

5-Axes Milling Center Hermle C 800 U

*BT 40, xyz 800mm/600mm/500mm, Heidenhain TNC 426 control
sold*

[Link](#)

vertical Milling Center Hermle C40V

*SK40, xyz 850mm/700mm/500mm, Heidenhain iTNC 530 control
sold*

[Link](#)

5-Axes Milling Center Deckel Maho DMU 50 eVo

*SK 40, xyz 500mm/420mm/380mm, Sinumerik 840D Powerline
Sold*

[Link](#)



5-Axes Milling Center Hermle C30 U

*SK 40, xyz 650mm/600mm/500mm, Heidenhain iTNC 530 control
sold*

[Link](#)

5-Axes Milling Center Hermle C800U

*HSK 63, xyz 800mm/600mm/500mm, Heidenhain TNC 430 control
sold*

[Link](#)

5-Axes Milling Center Hermle C22 U

*HSK 63, xyz 450mm/600mm/330mm, Heidenhain iTNC 530 control
sold*

[Link](#)

Miscellaneous sheet metal working machines

hydr. Section Steel Shear / Punching Press Mubea KLSH 900

pressure 90to

*consisting of: flat-, bar- and profile steel shear
notching device and punching press*

[Link](#)

3 Roll Bending Machine Schäfer SRMVS

*bending 22mmx2000mm, pre-bending: 18 mm
Upper roll diameter: 330 mm, lower roll diameter of 310 mm
motorized folding stock, additional top roll diameter of 250
mm*

[Link](#)

Press brakes

hydraulic Press Brake LVD PPN65/30

*power 65to, working length 3000mm
manual stop, tools and stamper*

[Link](#)

hydraulic Press Brake Donewell 75-3000

*pressure 75to, bending length 3000mm
foot switch, manual limit stop*

[Link](#)

hydraulic Press Brake Fasti 940-160-30

pressure 160to, bending length 3050mm, Delem DA 65 control



*foot switch, controlled limit stop, crown bow
front support*

[Link](#)

Sawing machines

vertical Band Saw Provomajska Select SU-4

*overhang 400mm
saw band length: max. 3400mm, min. 3200mm
band welding device
weight 600kg*

[Link](#)

Surface grinding machines

Surface Grinding Machine Jung Vario-P

*max. grindable workpiece area 600mm x 335mm
sold*

[Link](#)

Surface Grinding Machine Blohm Redline S36

*grinding length 600mm, grinding width 300mm
easyTouch control, electro magnet plate
coolant device with paper filtering, exhaustion device
dressing device, 2 flanges*

[Link](#)

Surface Grinding Machine Aba Ecoline 806

*max. grinding length 800mm, max. grinding width 700mm
sold*

[Link](#)

Surface Grinding Machine ELB Ambassador VAI-Z

*700x550 grinding area, table-middle of spindle 600
magnetic plate 700x450, automatic feed*

[Link](#)

Surface Grinding Machine Aba Multiline 2007

*max. grinding 2000mm, max. grinding width 850mm
sold*

[Link](#)

Surface Grinding Machine Blohm Precimat 408

grinding area 800mm x 400mm, Ergomatic control



Gustav Schönberger GmbH
Werkzeugmaschinen

Hünderstr. 14
74080 Heilbronn

+49 7131 - 46060
info@gsh-maschinen.de

sold

[Link](#)

Magnetic Plate 1000x500

[Link](#)